



UNITED STATES DEPARTMENT OF COMMERCE  
Patent and Trademark Office  
ASSISTANT SECRETARY OF COMMERCE AND  
COMMISSIONER OF PATENTS AND TRADEMARKS  
P.O. Box 1450  
Alexandria, VA 22313-1450

April 22, 2009

**NIXON & VANDERHYE, PC**  
**901 NORTH GLEBE ROAD, 11TH FLOOR**  
**ARLINGTON VA 22203**

Patent No. : 7,473,731 B2  
Inventor(s) : Tsutomu Furuzono, et al.  
Issued : January 6, 2009  
For **HYDROXYAPATITE COMPLEX AND  
MANUFACTURING METHOD THEREOF,  
MEDICAL MATERIAL USING  
HYDROXYAPATITE COMPLEX**  
Doc. No.: 1035-526

To Whom It May Concern:

The Certificate of Correction issued on April 21, 2009, issued in error, in that error(s) was made in identifying the patent number and/or keying text/corrections, i.e.:

In the issued certificate of correction, the correction to change the title should have also been listed to be incorporated at Column 1, lines 1-4. A superseding cofc will be issued to include the change of the title to occur at Column 1, lines 1-4.

---

Therefore, a certificate of correction will be issued to correct (supersede) the Certificate of Correction containing error(s), made during preparation of the Certificate of Correction, as noted above.

No further response is required, from applicants (attorney). However, errors discovered by attorney, other than as noted and described above, should be noted on *a copy* of the Certificate of Correction that was issued in error, accompanied by a signed transmittal letter and submitted directed to this Branch.

Antonio Johnson  
(703) 756-1584  
For Mary F. Diggs, Supervisor  
Decisions & Certificates of Correction Branch  
(703) 756-1580